



TOWN OF NORTH HAVEN PLANNING AND ZONING COMMISSION

APPLICATION FORM (Only one item per form)

15 M.	ASSIMO DRIVE	IG-80	230,030
(ADDR	ESS OF BUILDING OR BLOCK MAP. BLOCK & LOT NUMBER)	ZONE	TOTAL SQUARE FOOTAGE
THIS	APPLICATION IS FOR AND MUST INCLUDE THE FOLL	OWING:	
	Site plan approval (Submit 14* copies of the site plan)		copies of the application
	Certified A-2 Survey)		sopres or the approaction
	2 Copies of Bond Estimate Form	* 14 PLAN	NS @ 24" X 36"
	Cite the regulation that permits the pr		
	TITLE OF PLAN: PROPOSED SITE PLAN, PROI	PERTY LOCATED A	T 15 MASSIMINO DR.
	NORTH HAVEN, CT SCALE: 1" = 30'; DATED 4.	/30/20, PREPARED E	BY CRISCUOLO
	ENGINEERING LLC.		
	D		
V	Date and most current revision date of plan: 4/30/202	20	
X	CAM site plan review (Submit 14*copies)		
			submit 8 copies of proposed
		endment)	
	Proposed zone change (Submit 14* copies of location r Special Permit		
	Fill Permit (Submit 14* copies)	Cite regulation that a	uthorized the special permit
	Excavation permit (Submit 14* copies)		
		-:	
	Permit to grade or regrade the property (Submit 14* co proposed grades)	pies of a certified plar	i showing existing grades and
	proposed grades)		
ANSV	VER ALL QUESTIONS THAT ARE APPLICABLE	OR WRITE N/A	
	Does the property for which this application is submitte		
N/A	Lie within 500' of an adjoining municipality or will tra		impact an adjoining municipality
YES	Lie within the Coastal Area Management boundary		mpa-ran anjoming mamerpants
N/A	Contain any wetlands and/or watercourses		
N/A	Lie within the Aquifer Protection Zone		
N/A	Lie within the Channel Encroachment Zone		
N/A	Lie within the flood plain or flood way		
N/A	Lie within 50' of the Quinnipiac River or Muddy River		
	JAMES M. PRETTI, JR., P.E., L.S.		
	CRISCUOLO ENGINEERING LLC	203-481-0807	203-488-5729
	ENGINEER'S NAME	ENGINEER'S PHO	
	APPLICANT IS OWNER	MD PROPERTY	, LLC C/O STEVE DICAPUA
	Print Applicant's Name		int Owner's Name
		110 REPUBLIC	C DR. NO. HAVEN, CT 06473
	Applicant's Address		Owner's Address
			203-287-8117
A	Applicant's Phone Number Fax Number	At Oy	ner`s Phone Number
		KI 1) /
181		11/1/	· Wilsphan
	Applicant's Signature	1/10	Owner's Signature

Office of Long Island Sound Programs

Model Application Form Municipal Coastal Site Plan Review For Projects Located Fully or Partially Within the Coastal Boundary

Please complete this form in accordance with the attached instructions (CSPR-INST-11/99) and submit it with the appropriate plans to appropriate municipal agency.

Section I: Applicant Identification

Applicant: MD Properties, LLC c/o Steve DiCapua Address: 110 Republic Drive, North Haven, CT 06473	Date: 4-30-2020 Phone: 203-287-8117
Project Address or Location: 15 Massimo Drive	Phone: 203-207-0117
Interest in Property: ☑ fee simple ☐ option ☐ lessee ☐ easeme	nt
List primary contact for correspondence if other than applicant: Name: Criscuolo Engineering LLC c/o James M. Pretti Jr., P.E.,	L.S. (Member)
Address: 420 East Main St., Building 1, Suite 9	
City/Town: Branford State: CT Business Phone: 203-481-0807 e-mail: jim.pretti@cengineeringllc.com	Zip Code: 06405

Section il: Project Site Plans

Please provide project site plans that clearly and	accurately depict the following information, a	nd check
the appropriate boxes to indicate that the plans at	re included in this application:	
Wi Chalant Innetion	•	

- Project location
- 包 Existing and proposed conditions, including buildings and grading
- ☼ Coastal resources on and contiguous to the site
- ☐ High tide line [as defined in CGS Section 22a-359(c)] and mean high water mark elevation contours (for parcels abutting coastal waters and/or tidal wetlands only)
- Soil erosion and sediment controls
- Stormwater treatment practices
- III Ownership and type of use on adjacent properties
- ☑ Reference datum (i.e., National Geodetic Vertical Datum, Mean Sea Level, etc.)

Section III: Written Project Information

Please check the appropriate box to identify the plan or application that has resulted in this Coastal Site

Plan Review:

Site Plan for Zoning Compliance

Subdivision or Resubdivision

Special Permit or Special Exception

Variance

Municipal Project (CGS Section 8-24)

Part I: Site Information

7)

1.	Street Ad	dress or Geographical Description:	15 Massimino Drive
	City or To	own: North Haven	
2.	is project	or activity proposed at a waterfront	site (includes tidal wetlands frontage)? YES NO
3.		on-site, adjacent or downstream con nnipiac River is 0.4 miles South	astal, tidaf or navigable waters, if applicable:
4.	Identify a	nd describe the existing land use on	and adjacent to the site. Include any existing
	structures	s, municipal zoning classification, sk	inificant features of the project site:
			ng warehouse in an industrial zone adjacent
			of the new addition was already being used
	to pa	rk trailers.	
			*
5.	Indicate t	he area of the project site: 5.46	acres or square feet (circle one)
5. 6.		the area of the project site: 5.46 e appropriate box below to indicate	acres or square feet (circle one) whether the project or activity will disturb 5 acres or
	Check th	e appropriate box below to indicate	
_	Check the	e appropriate box below to indicate	whether the project or activity will disturb 5 acres or
_	Check the	e appropriate box below to indicate also se also se ment practices):	whether the project or activity will disturb 5 acres or
_	Check the more total manager	e appropriate box below to indicate all acres of land area (please also se ment practices): Project or activity will disturb 5 or	whether the project or activity will disturb 5 acres or e Part II.B. regarding proposed stormwater best
_	Check the more total manager	e appropriate box below to indicate al acres of land area (please also se ment practices): Project or activity will disturb 5 of eligible for registration for the De	whether the project or activity will disturb 5 acres or e Part II.B. regarding proposed stormwater best r more total acres of land area on the site and may be epartment of Environmental Protection's (DEP) General
_	Check the more total manager	e appropriate box below to indicate all acres of land area (please also sement practices): Project or activity will disturb 5 or eligible for registration for the Department for the Discharge of Ston	whether the project or activity will disturb 5 acres or e Part II.B. regarding proposed stormwater best r more total acres of land area on the site and may be
_	Check the more total manager	e appropriate box below to indicate all acres of land area (please also sement practices): Project or activity will disturb 5 or eligible for registration for the Depending of Ston Construction Activities	whether the project or activity will disturb 5 acres or e Part II.B. regarding proposed stormwater best r more total acres of land area on the site and may be epartment of Environmental Protection's (DEP) General

Part II.A.: Description of Proposed Project or Activity

gra	scribe the proposed project or activity including its purpose and related activities such as site clearing, ding, demolition, and other site preparations; percentage of increase or decrease in impervious cover
and	r existing conditions resulting from the project; phasing, timing and method of proposed construction; new uses and changes from existing uses (attach additional pages if necessary):
	The project is the expansion of an existing warehouse facility. The increase in
	roof area for the proposed 40,000 SF addition will be discharged into a new
	underground detension system sized for a volume of 1" of rainfall over the new root.
	Utilities will be extended within the building.
-	
•	
•	
Description Descri	i.B.: Description of Proposed Stormwater Best Management Practices which the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater iarge is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations brevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will acceed pre-development runoff rates and volumes (attach additional pages if necessary); Volume of 1" of increased roof area will be stored in underground concrete
Description of the control of the co	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will exceed pre-development runoff rates and volumes (attach additional pages if necessary): Volume of 1" of increased roof area will be stored in underground concrete
Description of the control of the co	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will exceed pre-development runoff rates and volumes (attach additional pages if necessary):
Description of the control of the co	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will acceed pre-development runoff rates and volumes (attach additional pages if necessary). Volume of 1" of increased roof area will be stored in underground concrete
Description of the control of the co	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will acceed pre-development runoff rates and volumes (attach additional pages if necessary). Volume of 1" of increased roof area will be stored in underground concrete
Description of the control of the co	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will be stored pre-development runoff rates and volumes (attach additional pages if necessary). Volume of 1" of increased roof area will be stored in underground concrete
Descunolisch hat parce	ribe the stormwater best management practices that will be utilized to ensure that the volume of if generated by the first inch of rainfall is retained on-site, especially if the site or stormwater large is adjacent to tidal wetlands. If runoff cannot be retained on-site, describe the site limitations prevent such retention and identify how stormwater will be treated before it is discharged from the Also demonstrate that the loadings of total suspended solids from the site will be reduced by 80 and on an average annual basis, and that post-development stormwater runoff rates and volumes will be stored pre-development runoff rates and volumes (attach additional pages if necessary): Volume of 1" of increased roof area will be stored in underground concrete

Part III: Identification of Applicable Coastal Resources and Coastal Resource Policies

Identify the coastal resources and associated policies that apply to the project by placing a check mark in the appropriate box(es) in the following table.

Coastal Resources	On-site	Adjacent	Off-sits but within the influence of project	Not Applicable
General Coastal Resources" - Definition: CGS Section 22a-93(7); Policy: CGS Section 22a-92(a)(2)	х	х	х	
Beaches & Dunes - Definition: CGS Section 22a-93(7)(C); Policies: CGS Sections 22a-92-(b)(2)(C) and 22a-92(c)(1)(K)		·		Х
Bluffs & Escarpments - Definition: CGS Section 22a-93(7)(A); Policy: CGS Section 22a-92(b)(2)(A)				X
Coastal Hazard Area - Definition: CGS Section 22s-93(7)(H); Policies: CGS Sections 22s-92(s)(2), 22s-92(s)(5), 22s-92(b)(2)(F), 22s-92(b)(2)(J), and 22s-92(c)(2)(B)			Х	
Coastal Waters, Estuarine Embayments, Nearshore Waters, Offshore, Waters - Definition: CGS Sections 22s-93(5), 22s-93(7)(G), and 22s-93(7)(L) respectively; Policies: CGS Sections 22s-92(s)(2) and 22s-92(c)(2)(A)		***************************************		Х
Developed Shorefront - Definition: CGS Section 22x-93(7)(I); Policy: 22x-92(b)(2)(G)				X
Freshwater Wattands and Watercourses - Definition: CGS Section 22a-93(7)(F): Policy: CGS Section 22a-92(a)(2)				X
Intertidal Flats - Definition: CGS Section 22a-93(7)(D); Policies: 22a-92(b)(2)(D) and 22a-92(c)(1)(K)				X
Islands - Definition: CGS Section 22a-93(7)(J); Policy: CGS Section 22a-92(b)(2)(H)		•		X.
Flocky Shorefront - Definition: CGS Section 22a-93(7)(5); Policy: CGS Section 22a-92(b)(2)(B)	•			X
Shelifish Concentration Areas - Definition: CGS Section 22s-93(7)(N); Policy: CGS Section 22s-92(o)(1)(i)				X
Shorelands - Definition: CGS Section 22z-93(7)(M); Policy: CGS Section 22z-92(b)(2)(f)	X			
Tidal Weilands - Definition: CGS Section 22a-93(7)(E); Policies: CGS Sections 22a-92(a)(2), 22a-92(b)(2)(E), and 22a-92(c)(1)(E)				×

General Coastal Resource policy is applicable to all proposed activities

Part IV: Consistency with Applicable Coastal Resource Policies and Standards

Describe the location and condition of the coastal resources identified in Part III above and explain how the proposed project or activity is consistent with all of the applicable coastal resource policies and
standards; also see adverse impacts assessment in Part VII.A below (attach additional pages if necessary): The Quinnipiac River is 0.4 miles South of the project. There are multiple
roads and industrial properties in between. The project does not conflict with any coastal policies.

Part V: Identification of Applicable Coastal Use and Activity Policies and Standards

Identify all coastal policies and standards in or referenced by CGS Section 22a-92 applicable to the proposed project or activity:

- General Development* CGS Sections 22a-92(a)(1), 22a-92(a)(2), and 22a-92(a)(9)
- □ Water-Dependent Uses** CGS Sections 22a-92(a)(3) and 22a-92(b)(1)(A);
 Definition CGS Section 22a-93(16)
- □ Ports and Harbors CGS Section 22a-92(b)(1)(C)
- □ Coastal Structures and Filling CGS Section 22s-92(b)(1)(D)
- □ Dredging and Navigation CGS Sections 22a-92(c)(1)(C) and 22a-92(c)(1)(D)
- □ Boating CGS Section 22a-92(b)(1)(G)
- ☐ Fisheries CGS Section 22s-92(c)(1)(I)
- □ Coastal Recreation and Access CGS Sections 22a-92(a)(6), 22a-92(C)(1)(j) and 22a-92(c)(1)(K)
- ☐ Sewer and Water Lines CGS Section 22a-92(b)(1)(B)
- □ Fuel, Chemicals and Hazardous Materials CGS Sections 22a-92(b)(1)(C), 22a-92(b)(1)(E) and 22a-92(c)(1)(A)
- Transportation CGS Sections 22a-92(b)(1)(F), 22a-92(c)(1)(F), 22a-92(c)(1)(G), and
 22a-92(c)(1)(H)
- ☐ Solid Waste CGS Section 22a-92(a)(2)
- □ Dams, Dikes and Reservoirs CGS Section 22a-92(a)(2)
- □ Cuitural Resources CGS Section 222-92(b)(1)(J)
- Open Space and Agricultural Lands CGS Section 22a-92(a)(2)

General Development policies are applicable to all proposed activities

^{**} Water-dependent Use policies are applicable to all activities proposed at waterfront sites, including those with tidal wellands frontage.

Part VI: Consistency With Applicable Coastal Use Policies And Standards

Explain how the proposed activity or use is consistent with all of the applicable coastal use and activity policies and standards identified in Part V. For projects proposed at waterfront sites (including those with tidal wetlands frontage), particular emphasis should be placed on the evaluation of the project's consistency with the water-dependent use policies and standards contained in CGS Sections 22a-92(a)(3) and 22a-92(b)(1)(A) also see adverse impacts assessment in Part VII.B below (attach additional pages if necessary): The project will not have any adverse impacts on any coastal resources. Therefore, is
consistent with all coastal policies identified.

Part VII.A.: Identification of Potential Adverse Impacts on Coastal Resources

Please complete this section for all projects.

Identify the adverse impact categories below that apply to the proposed project or activity. The "applicable" column must be checked if the proposed activity has the potential to generate any adverse impacts as defined in CGS Section 22a-93(15). If an adverse impact may result from the proposed project or activity, please use Part VIII to describe what project design features may be used to eliminate, minimize, or mitigate the potential for adverse impacts.

Potential Adverse impacts on Coastal Resources	Applicable	Not Applicable
Degrading tidal wetlands, beaches and dunes, rocky shorefronts, and bluffs and escarpments through significant alteration of their natural characteristics or functions - cos section 22s-93(15)(H)		·
Increasing the hazard of coastal flooding through significant atteration of shoreline configurations or bathymetry, particularly within high velocity flood zones - CGS Section 22x-93(15)(E)		Х
Degrading existing circulation patterns of coastal water through the significant alteration of patterns of tidal exchange or flushing rates, freshwater input, or existing basin characteristics and channel contours - CGS Section 22s-93(15)(5)		Х
Degrading natural or existing drainage patterns through the significant alteration of groundwater flow and recharge and volume of runoff - cgs Section 22a-93(15)(D)	•	. X
Degrading natural erosion patterns through the significant alteration of littoral transport of secliments in terms of deposition or source reduction - CGS Section 22x-93(15)(C)		Х
Degrading visual quality through significant alteration of the natural features of visias and view points - CGS Section 22s-93(15)(F)		Х
Degrading water quality through the algnificant introduction into either coastal waters or groundwater supplies of suspended solids, nutrients, toxics, heavy metals or pathogens, or through the significant alteration of temperature, pH, dissolved oxygen or salinity - CGS Section 22s-53(15)(A)		Х
Degrading or destroying essential wildlife, finfish, or shellfish habitat through significant alteration of the composition, migration patterns, distribution, breading or other population characteristics of the natural species or significant alterations of the natural components of the		X

habitat - CGS Section 22a-99(15)(G)	v
	Λ

Part VII.B.: Identification of Potential Adverse Impacts on Water-dependent Uses

Please complete the following two sections only if the project or activity is proposed at a waterfront site:

1. Identify the adverse impact categories below that apply to the proposed project or activity. The "applicable" column must be checked if the proposed activity has the potential to generate any adverse impacts as defined in CGS Section 22a-93(17). If an adverse impact may result from the proposed project or activity, use Part VIII to describe what project design features may be used to eliminate, minimize, or mitigate the potential for adverse impacts.

Potential Adverse Impacts on Future Water-dependent Development Opportunities and Activities Locating a non-water-dependent use at a site physically suited for or planned for location of a water-dependent use - CGS Section 22a-93(17)	Applicable	Not Applicable
Replacing an existing water-dependent use with a non-water- dependent use - CGS Section 22a-93(17)		X
Siting a non-water-dependent use which would substantially reduce or inhibit existing public access to marine or tidal waters - CGS Section 22a-93(17)		Х

2. Identification of existing and/or proposed Water-dependent Uses

Describe the features or characteristics of the proposed activity or project that qualify as water-dependent uses as defined in CGS Section 22a-93(16). If general public access to coastal waters is provided, please identify the legal mechanisms used to ensure public access in perpetuity, and describe any provisions for parking or other access to the site and proposed amenities associated with the access (e.g., boardwalk, benches, trash receptacles, interpretative signage, etc.)*:		
N/A	•	
	•	
	•	
	•	
	•	
	•	
	•	
	•	
	•	
	•	

[&]quot;If there are no water-dependent use components, describe how the project site is not appropriate for the development of a water-dependent use.

Part VIII: Mitigation of Potential Adverse Impacts

Explain how all potential adverse impacts on coastal resources and/or future water-dependent development opportunities and activities identified in Part VII have been avoided, eliminated, or							
minimized (attach additional pages if necessary);							
	N/A						
		<i>'</i>					
				•			
		-			,		
					•		
· · · · · · · · · · · · · · · · · · ·		·	· · · · · · · · · · · · · · · · · · ·		•		
	`		•				
	······································						
			•				
							

Part IX: Remaining Adverse impacts

mitigated and why the project as proposed is consistent with the Connecticut Coastal Management Act attach additional pages if necessary):										
				<u>.</u>		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	<u></u>	
	N	Ά								
				··	·		-			
	···	 		 .						

	.,		 			·		·····		